

限用物質含有情況標示

產品明細

UP1201A-12PP.....	3
UP1501D-12.....	4
UP1001B-14.....	5
UP0121H-12PA	6
UP5253B-01.....	7
MA-PWR-50WAC, GA-PWR-50WAC.....	8
UP0201D-Series.....	9
UP0451H-54PP, 740-64283-001, 740-64283-001.....	10
GA-PWR-12W-US.....	11
UP0181D-12PA.....	12
UP0361H-12.....	13
UP0601C-12.....	14
UP0851A-54PB.....	15
UP1501D-54.....	16
UP2402B-04.....	17
UP3001D-54.....	18
UP5202F-02,UP4602F-02.....	19
UP5702B-01, UP5702B-02, UP5702B-03.....	20
UP8803B-01.....	21
PS-90W-AC.....	22

PS-126W-AC.....	23
GA-PWR-18WAC.....	24
UP6001R, UP9201R, UP1K21R, UP3001R.....	25
MA-PWR-100WAC.....	26
MA-PWR-2-30W-US, MA-PWR-2-30W-US.....	27
UP0751G series.....	28
UP0501G series.....	29
UP3053A-01.....	30
UP0601F-12.....	31
UP0251D-12PA.....	32
UP1501H-54.....	33
UP0121M-12PA.....	34
UP0301V-12PP, MA-PWR30WAC.....	35
UP6601B, UP8601B, UP1K21B.....	36
UP1201A-54PP.....	37
UP1502R, UP2502R.....	38
UP2K01R.....	39
UP1601B-54PP.....	40
UP1101A-12.....	41
UP1501H-12.....	42
UPD1501SA.....	43
UP9201R-1, UP1K21R-1.....	44
UP6001R, UP1K21R, UP3001R.....	45
UP5502R.....	46
UP2K01R-3.....	47
DA-PWR-150-HV.....	48
UP2001M-12.....	49
UP0172A-01P.....	50

限用物質含有情況標示

Presence Condition of the Restricted Substances Marking

設備名稱：交換式電源供應器，型號（型式）：UP1201A-12PP						
Equipment name	Type designation (Type)					
單元 Unit	限用物質及其化學符號 Restricted substances and its chemical symbols					
	鉛 Lead (Pb)	汞 Mercury (Hg)	鎘 Cadmium (Cd)	六價鉻 Hexavalent chromium (Cr ⁶⁺)	多溴聯苯 Polybrominated biphenyls (PBB)	多溴二苯醚 Polybrominated diphenyl ethers (PBDE)
印刷電路板組件 PCBA	—	○	○	○	○	○
金屬外殼組件 Metal Shell	○	○	○	○	○	○
塑膠安裝組件 Plastic Components	○	○	○	○	○	○
電源線組 Power Cord Sets	—	○	○	○	○	○
包裝組件 Packaging Components	○	○	○	○	○	○
黃銅組件 Brass Components	—	○	○	○	○	○
備考 1. “超出 0.1 wt %” 及 “超出 0.01 wt %” 係指限用物質之百分比含量超出百分比含量基準。 Note 1 : “Exceeding 0.1 wt %” and “exceeding 0.01 wt %” indicate that the percentage content of the restricted substance exceeds the reference percentage value of presence condition.						
備考 2. “○” 係指該項限用物質之百分比含量未超出百分比含量基準值。 Note 2 : “○” indicates that the percentage content of the restricted substance does not exceed the percentage of reference value of presence.						
備考 3. “—” 係指該項限用物質為排除項目。 Note 3 : The “—” indicates that the restricted substance corresponds to the exemption.						

限用物質含有情況標示

Presence Condition of the Restricted Substances Marking

設備名稱：開放式電源供應器，型號（型式）：UP1501D-12						
Equipment name			Type designation (Type)			
單元 Unit	限用物質及其化學符號					
	Restricted substances and its chemical symbols					
	鉛 Lead (Pb)	汞 Mercury (Hg)	鎘 Cadmium (Cd)	六價鉻 Hexavalent chromium (Cr ⁶⁺)	多溴聯苯 Polybrominated biphenyls (PBB)	多溴二苯醚 Polybrominated diphenyl ethers (PBDE)
印刷電路板組件 PCBA	—	○	○	○	○	○
變壓器 transformer	○	○	○	○	○	○
散熱模組 Thermal Module	○	○	○	○	○	○
錒錫 Solder	○	○	○	○	○	○
備考 1. “超出 0.1 wt %” 及 “超出 0.01 wt %” 係指限用物質之百分比含量超出百分比含量基準。						
Note 1 : “Exceeding 0.1 wt %” and “exceeding 0.01 wt %” indicate that the percentage content of the restricted substance exceeds the reference percentage value of presence condition.						
備考 2. “○” 係指該項限用物質之百分比含量未超出百分比含量基準值。						
Note 2 : “○” indicates that the percentage content of the restricted substance does not exceed the percentage of reference value of presence.						
備考 3. “—” 係指該項限用物質為排除項目。						
Note 3 : The “—” indicates that the restricted substance corresponds to the exemption.						

限用物質含有情況標示

Presence Condition of the Restricted Substances Marking

設備名稱：開放式電源供應器，型號（型式）：UP1001B-14						
Equipment name		Type designation (Type)				
單元 Unit	限用物質及其化學符號 Restricted substances and its chemical symbols					
	鉛 Lead (Pb)	汞 Mercury (Hg)	鎘 Cadmium (Cd)	六價鉻 Hexavalent chromium (Cr ⁺⁶)	多溴聯苯 Polybrominated biphenyls (PBB)	多溴二苯醚 Polybrominated diphenyl ethers (PBDE)
印刷電路板組件 PCBA	—	○	○	○	○	○
變壓器 transformer	○	○	○	○	○	○
散熱模組 Thermal Module	○	○	○	○	○	○
錒錫 Solder	○	○	○	○	○	○
備考 1. “超出 0.1 wt %” 及 “超出 0.01 wt %” 係指限用物質之百分比含量超出百分比含量基準。						
Note 1：“Exceeding 0.1 wt %” and “exceeding 0.01 wt %” indicate that the percentage content of the restricted substance exceeds the reference percentage value of presence condition.						
備考 2. “○” 係指該項限用物質之百分比含量未超出百分比含量基準值。						
Note 2：“○” indicates that the percentage content of the restricted substance does not exceed the percentage of reference value of presence.						
備考 3. “—” 係指該項限用物質為排除項目。						
Note 3：The “—” indicates that the restricted substance corresponds to the exemption.						

限用物質含有情況標示

Presence Condition of the Restricted Substances Marking

設備名稱：交換式電源供應器，型號（型式）：UP0121H-12PA						
Equipment name	Type designation (Type)					
單元 Unit	限用物質及其化學符號 Restricted substances and its chemical symbols					
	鉛 Lead (Pb)	汞 Mercury (Hg)	鎘 Cadmium (Cd)	六價鉻 Hexavalent chromium (Cr ⁺⁶)	多溴聯苯 Polybrominated biphenyls (PBB)	多溴二苯醚 Polybrominated diphenyl ethers (PBDE)
印刷電路板組件 PCBA	—	○	○	○	○	○
金屬外殼組件 Metal Shell	○	○	○	○	○	○
塑膠安裝組件 Plastic Components	○	○	○	○	○	○
電源線組 Power Cord Sets	—	○	○	○	○	○
包裝組件 Packaging Components	○	○	○	○	○	○
黃銅組件 Brass Components	—	○	○	○	○	○
備考 1. “超出 0.1 wt %” 及 “超出 0.01 wt %” 係指限用物質之百分比含量超出百分比含量基準。 Note 1： “Exceeding 0.1 wt %” and “exceeding 0.01 wt %” indicate that the percentage content of the restricted substance exceeds the reference percentage value of presence condition.						
備考 2. “○” 係指該項限用物質之百分比含量未超出百分比含量基準值。 Note 2： “○” indicates that the percentage content of the restricted substance does not exceed the percentage of reference value of presence.						
備考 3. “—” 係指該項限用物質為排除項目。 Note 3： The “—” indicates that the restricted substance corresponds to the exemption.						

限用物質含有情況標示

Presence Condition of the Restricted Substances Marking

設備名稱：開放式電源供應器，型號（型式）：UP5253B-01						
Equipment name		Type designation (Type)				
單元 Unit	限用物質及其化學符號 Restricted substances and its chemical symbols					
	鉛 Lead (Pb)	汞 Mercury (Hg)	鎘 Cadmium (Cd)	六價鉻 Hexavalent chromium (Cr ⁺⁶)	多溴聯苯 Polybrominated biphenyls (PBB)	多溴二苯醚 Polybrominated diphenyl ethers (PBDE)
印刷電路板組件 PCBA	—	○	○	○	○	○
變壓器 transformer	○	○	○	○	○	○
散熱模組 Thermal Module	○	○	○	○	○	○
錒錫 Solder	○	○	○	○	○	○
備考 1. “超出 0.1 wt %” 及 “超出 0.01 wt %” 係指限用物質之百分比含量超出百分比含量基準。						
Note 1：“Exceeding 0.1 wt %” and “exceeding 0.01 wt %” indicate that the percentage content of the restricted substance exceeds the reference percentage value of presence condition.						
備考 2. “○” 係指該項限用物質之百分比含量未超出百分比含量基準值。						
Note 2：“○” indicates that the percentage content of the restricted substance does not exceed the percentage of reference value of presence.						
備考 3. “—” 係指該項限用物質為排除項目。						
Note 3：The “—” indicates that the restricted substance corresponds to the exemption.						

限用物質含有情況標示

Presence Condition of the Restricted Substances Marking

設備名稱：交換式電源供應器，型號（型式）：MA-PWR-50WAC, GA-PWR-50WAC Equipment name Type designation (Type)						
單元 Unit	限用物質及其化學符號 Restricted substances and its chemical symbols					
	鉛 Lead (Pb)	汞 Mercury (Hg)	鎘 Cadmium (Cd)	六價鉻 Hexavalent chromium (Cr ⁺⁶)	多溴聯苯 Polybrominated biphenyls (PBB)	多溴二苯醚 Polybrominated diphenyl ethers (PBDE)
印刷電路板組件 PCBA	—	○	○	○	○	○
金屬外殼組件 Metal Shell	○	○	○	○	○	○
塑膠安裝組件 Plastic Components	○	○	○	○	○	○
電源線組 Power Cord Sets	—	○	○	○	○	○
包裝組件 Packaging Components	○	○	○	○	○	○
黃銅組件 Brass Components	—	○	○	○	○	○
備考 1. “超出 0.1 wt %” 及 “超出 0.01 wt %” 係指限用物質之百分比含量超出百分比含量基準。 Note 1 : “Exceeding 0.1 wt %” and “exceeding 0.01 wt %” indicate that the percentage content of the restricted substance exceeds the reference percentage value of presence condition. 備考 2. “○” 係指該項限用物質之百分比含量未超出百分比含量基準值。 Note 2 : “○” indicates that the percentage content of the restricted substance does not exceed the percentage of reference value of presence. 備考 3. “—” 係指該項限用物質為排除項目。 Note 3 : The “—” indicates that the restricted substance corresponds to the exemption.						

限用物質含有情況標示

Presence Condition of the Restricted Substances Marking

設備名稱：開放式電源供應器，型號（型式）		UP0201D-03, UP0201D-05, UP0201D-09, UP0201D-12, UP0201D-15, UP0201D-18, UP0201D-24, UP0201D-48				
Equipment name		Type designation (Type)				
單元 Unit	限用物質及其化學符號 Restricted substances and its chemical symbols					
	鉛 Lead (Pb)	汞 Mercury (Hg)	鎘 Cadmium (Cd)	六價鉻 Hexavalent chromium (Cr ⁶⁺)	多溴聯苯 Polybrominated biphenyls (PBB)	多溴二苯醚 Polybrominated diphenyl ethers (PBDE)
印刷電路板組件 PCBA	—	○	○	○	○	○
變壓器 transformer	○	○	○	○	○	○
散熱模組 Thermal Module	○	○	○	○	○	○
鉛錫 Solder	○	○	○	○	○	○
備考 1. “超出 0.1 wt %” 及 “超出 0.01 wt %” 係指限用物質之百分比含量超出百分比含量基準。						
Note 1 : “Exceeding 0.1 wt %” and “exceeding 0.01 wt %” indicate that the percentage content of the restricted substance exceeds the reference percentage value of presence condition.						
備考 2. “○” 係指該項限用物質之百分比含量未超出百分比含量基準值。						
Note 2 : “○” indicates that the percentage content of the restricted substance does not exceed the percentage of reference value of presence.						
備考 3. “—” 係指該項限用物質為排除項目。						
Note 3 : The “—” indicates that the restricted substance corresponds to the exemption.						

限用物質含有情況標示

Presence Condition of the Restricted Substances Marking

設備名稱：交換式電源供應器，型號（型式）：UP0451H-54PP, 740-64283-001, 740-64326-001	
Equipment name	Type designation (Type)
單元 Unit	限用物質及其化學符號 Restricted substances and its chemical symbols
	鉛 Lead (Pb) 汞 Mercury (Hg) 鎘 Cadmium (Cd) 六價鉻 Hexavalent chromium (Cr ⁺⁶) 多溴聯苯 Polybrominated biphenyls (PBB) 多溴二苯醚 Polybrominated diphenyl ethers (PBDE)
印刷電路板組件 PCBA	— O O O O O
金屬外殼組件 Metal Shell	O O O O O O
塑膠安裝組件 Plastic Components	O O O O O O
電源線組 Power Cord Sets	— O O O O O
包裝組件 Packaging Components	O O O O O O
黃銅組件 Brass Components	— O O O O O

備考 1. “超出 0.1 wt %” 及 “超出 0.01 wt %” 係指限用物質之百分比含量超出百分比含量基準。

Note 1 : “Exceeding 0.1 wt %” and “exceeding 0.01 wt %” indicate that the percentage content of the restricted substance exceeds the reference percentage value of presence condition.

備考 2. “○” 係指該項限用物質之百分比含量未超出百分比含量基準值。

Note 2 : “○” indicates that the percentage content of the restricted substance does not exceed the percentage of reference value of presence.

備考 3. “—” 係指該項限用物質為排除項目。

Note 3 : The “—” indicates that the restricted substance corresponds to the exemption.

限用物質含有情況標示

Presence Condition of the Restricted Substances Marking

設備名稱：交換式電源供應器，型號（型式）：GA-PWR-12W-US							
Equipment name	Type designation (Type)						
單元 Unit	限用物質及其化學符號 Restricted substances and its chemical symbols						
	<table><tr><td>鉛 Lead (Pb)</td><td>汞 Mercury (Hg)</td><td>鎘 Cadmium (Cd)</td><td>六價鉻 Hexavalent chromium (Cr⁺⁶)</td><td>多溴聯苯 Polybrominated biphenyls (PBB)</td><td>多溴二苯醚 Polybrominated diphenyl ethers (PBDE)</td></tr></table>	鉛 Lead (Pb)	汞 Mercury (Hg)	鎘 Cadmium (Cd)	六價鉻 Hexavalent chromium (Cr ⁺⁶)	多溴聯苯 Polybrominated biphenyls (PBB)	多溴二苯醚 Polybrominated diphenyl ethers (PBDE)
鉛 Lead (Pb)	汞 Mercury (Hg)	鎘 Cadmium (Cd)	六價鉻 Hexavalent chromium (Cr ⁺⁶)	多溴聯苯 Polybrominated biphenyls (PBB)	多溴二苯醚 Polybrominated diphenyl ethers (PBDE)		
印刷電路板組件 PCBA	<table><tr><td>—</td><td>○</td><td>○</td><td>○</td><td>○</td><td>○</td></tr></table>	—	○	○	○	○	○
—	○	○	○	○	○		
金屬外殼組件 Metal Shell	<table><tr><td>○</td><td>○</td><td>○</td><td>○</td><td>○</td><td>○</td></tr></table>	○	○	○	○	○	○
○	○	○	○	○	○		
塑膠安裝組件 Plastic Components	<table><tr><td>○</td><td>○</td><td>○</td><td>○</td><td>○</td><td>○</td></tr></table>	○	○	○	○	○	○
○	○	○	○	○	○		
電源線組 Power Cord Sets	<table><tr><td>—</td><td>○</td><td>○</td><td>○</td><td>○</td><td>○</td></tr></table>	—	○	○	○	○	○
—	○	○	○	○	○		
包裝組件 Packaging Components	<table><tr><td>○</td><td>○</td><td>○</td><td>○</td><td>○</td><td>○</td></tr></table>	○	○	○	○	○	○
○	○	○	○	○	○		
黃銅組件 Brass Components	<table><tr><td>—</td><td>○</td><td>○</td><td>○</td><td>○</td><td>○</td></tr></table>	—	○	○	○	○	○
—	○	○	○	○	○		
備考 1. “超出 0.1 wt %” 及 “超出 0.01 wt %” 係指限用物質之百分比含量超出百分比含量基準。 Note 1： “Exceeding 0.1 wt %” and “exceeding 0.01 wt %” indicate that the percentage content of the restricted substance exceeds the reference percentage value of presence condition. 備考 2. “○” 係指該項限用物質之百分比含量未超出百分比含量基準值。 Note 2： “○” indicates that the percentage content of the restricted substance does not exceed the percentage of reference value of presence. 備考 3. “—” 係指該項限用物質為排除項目。 Note 3： The “—” indicates that the restricted substance corresponds to the exemption.							

限用物質含有情況標示

Presence Condition of the Restricted Substances Marking

設備名稱：交換式電源供應器，型號（型式）：UP0181D-12PA						
Equipment name	Type designation (Type)					
單元 Unit	限用物質及其化學符號 Restricted substances and its chemical symbols					
	<table><tr><td>鉛 Lead (Pb)</td><td>汞 Mercury (Hg)</td><td>鎘 Cadmium (Cd)</td><td>六價鉻 Hexavalent chromium (Cr⁺⁶)</td><td>多溴聯苯 Polybrominated biphenyls (PBB)</td><td>多溴二苯醚 Polybrominated diphenyl ethers (PBDE)</td></tr></table>	鉛 Lead (Pb)	汞 Mercury (Hg)	鎘 Cadmium (Cd)	六價鉻 Hexavalent chromium (Cr ⁺⁶)	多溴聯苯 Polybrominated biphenyls (PBB)
鉛 Lead (Pb)	汞 Mercury (Hg)	鎘 Cadmium (Cd)	六價鉻 Hexavalent chromium (Cr ⁺⁶)	多溴聯苯 Polybrominated biphenyls (PBB)	多溴二苯醚 Polybrominated diphenyl ethers (PBDE)	
印刷電路板組件 PCBA	— O O O O O					
金屬外殼組件 Metal Shell	O O O O O O					
塑膠安裝組件 Plastic Components	O O O O O O					
電源線組 Power Cord Sets	— O O O O O					
包裝組件 Packaging Components	O O O O O O					
黃銅組件 Brass Components	— O O O O O					
備考 1. “超出 0.1 wt %” 及 “超出 0.01 wt %” 係指限用物質之百分比含量超出百分比含量基準。 Note 1 : “Exceeding 0.1 wt %” and “exceeding 0.01 wt %” indicate that the percentage content of the restricted substance exceeds the reference percentage value of presence condition. 備考 2. “○” 係指該項限用物質之百分比含量未超出百分比含量基準值。 Note 2 : “○” indicates that the percentage content of the restricted substance does not exceed the percentage of reference value of presence. 備考 3. “—” 係指該項限用物質為排除項目。 Note 3 : The “—” indicates that the restricted substance corresponds to the exemption.						

限用物質含有情況標示

Presence Condition of the Restricted Substances Marking

設備名稱：交換式電源供應器，型號（型式）：UP0361H-12						
Equipment name		Type designation (Type)				
單元 Unit	限用物質及其化學符號 Restricted substances and its chemical symbols					
	鉛 Lead (Pb)	汞 Mercury (Hg)	鎘 Cadmium (Cd)	六價鉻 Hexavalent chromium (Cr ⁺⁶)	多溴聯苯 Polybrominated biphenyls (PBB)	多溴二苯醚 Polybrominated diphenyl ethers (PBDE)
印刷電路板組件 PCBA	—	○	○	○	○	○
變壓器 transformer	○	○	○	○	○	○
散熱模組 Thermal Module	○	○	○	○	○	○
鐸錫 Solder	○	○	○	○	○	○
備考 1. “超出 0.1 wt %” 及 “超出 0.01 wt %” 係指限用物質之百分比含量超出百分比含量基準。						
Note 1：“Exceeding 0.1 wt %” and “exceeding 0.01 wt %” indicate that the percentage content of the restricted substance exceeds the reference percentage value of presence condition.						
備考 2. “○” 係指該項限用物質之百分比含量未超出百分比含量基準值。						
Note 2：“○” indicates that the percentage content of the restricted substance does not exceed the percentage of reference value of presence.						
備考 3. “—” 係指該項限用物質為排除項目。						
Note 3：The “—” indicates that the restricted substance corresponds to the exemption.						

限用物質含有情況標示

Presence Condition of the Restricted Substances Marking

設備名稱：交換式電源供應器，型號（型式）：UP0601C-12						
Equipment name		Type designation (Type)				
單元 Unit	限用物質及其化學符號 Restricted substances and its chemical symbols					
	鉛 Lead (Pb)	汞 Mercury (Hg)	鎘 Cadmium (Cd)	六價鉻 Hexavalent chromium (Cr ⁺⁶)	多溴聯苯 Polybrominated biphenyls (PBB)	多溴二苯醚 Polybrominated diphenyl ethers (PBDE)
印刷電路板組件 PCBA	—	○	○	○	○	○
變壓器 transformer	○	○	○	○	○	○
散熱模組 Thermal Module	○	○	○	○	○	○
錒錫 Solder	○	○	○	○	○	○
備考 1. “超出 0.1 wt %” 及 “超出 0.01 wt %” 係指限用物質之百分比含量超出百分比含量基準。						
Note 1：“Exceeding 0.1 wt %” and “exceeding 0.01 wt %” indicate that the percentage content of the restricted substance exceeds the reference percentage value of presence condition.						
備考 2. “○” 係指該項限用物質之百分比含量未超出百分比含量基準值。						
Note 2：“○” indicates that the percentage content of the restricted substance does not exceed the percentage of reference value of presence.						
備考 3. “—” 係指該項限用物質為排除項目。						
Note 3：The “—” indicates that the restricted substance corresponds to the exemption.						

限用物質含有情況標示

Presence Condition of the Restricted Substances Marking

設備名稱：交換式電源供應器，型號（型式）：UP0851A-54PB						
Equipment name	Type designation (Type)					
單元 Unit	限用物質及其化學符號 Restricted substances and its chemical symbols					
	鉛 Lead (Pb)	汞 Mercury (Hg)	鎘 Cadmium (Cd)	六價鉻 Hexavalent chromium (Cr ⁺⁶)	多溴聯苯 Polybrominated biphenyls (PBB)	多溴二苯醚 Polybrominated diphenyl ethers (PBDE)
印刷電路板組件 PCBA	—	○	○	○	○	○
金屬外殼組件 Metal Shell	○	○	○	○	○	○
塑膠安裝組件 Plastic Components	○	○	○	○	○	○
電源線組 Power Cord Sets	—	○	○	○	○	○
包裝組件 Packaging Components	○	○	○	○	○	○
黃銅組件 Brass Components	—	○	○	○	○	○
備考 1. “超出 0.1 wt %” 及 “超出 0.01 wt %” 係指限用物質之百分比含量超出百分比含量基準。 Note 1： “Exceeding 0.1 wt %” and “exceeding 0.01 wt %” indicate that the percentage content of the restricted substance exceeds the reference percentage value of presence condition.						
備考 2. “○” 係指該項限用物質之百分比含量未超出百分比含量基準值。 Note 2： “○” indicates that the percentage content of the restricted substance does not exceed the percentage of reference value of presence.						
備考 3. “—” 係指該項限用物質為排除項目。 Note 3： The “—” indicates that the restricted substance corresponds to the exemption.						

限用物質含有情況標示

Presence Condition of the Restricted Substances Marking

設備名稱：開放式電源供應器，型號（型式）：UP1501D-54							
Equipment name	Type designation (Type)						
單元 Unit	限用物質及其化學符號 Restricted substances and its chemical symbols						
	<table><tr><td>鉛 Lead (Pb)</td><td>汞 Mercury (Hg)</td><td>鎘 Cadmium (Cd)</td><td>六價鉻 Hexavalent chromium (Cr⁺⁶)</td><td>多溴聯苯 Polybrominated biphenyls (PBB)</td><td>多溴二苯醚 Polybrominated diphenyl ethers (PBDE)</td></tr></table>	鉛 Lead (Pb)	汞 Mercury (Hg)	鎘 Cadmium (Cd)	六價鉻 Hexavalent chromium (Cr ⁺⁶)	多溴聯苯 Polybrominated biphenyls (PBB)	多溴二苯醚 Polybrominated diphenyl ethers (PBDE)
鉛 Lead (Pb)	汞 Mercury (Hg)	鎘 Cadmium (Cd)	六價鉻 Hexavalent chromium (Cr ⁺⁶)	多溴聯苯 Polybrominated biphenyls (PBB)	多溴二苯醚 Polybrominated diphenyl ethers (PBDE)		
印刷電路板組件 PCBA	<table><tr><td>—</td><td>○</td><td>○</td><td>○</td><td>○</td><td>○</td></tr></table>	—	○	○	○	○	○
—	○	○	○	○	○		
變壓器 transformer	<table><tr><td>○</td><td>○</td><td>○</td><td>○</td><td>○</td><td>○</td></tr></table>	○	○	○	○	○	○
○	○	○	○	○	○		
散熱模組 Thermal Module	<table><tr><td>○</td><td>○</td><td>○</td><td>○</td><td>○</td><td>○</td></tr></table>	○	○	○	○	○	○
○	○	○	○	○	○		
錒錫 Solder	<table><tr><td>○</td><td>○</td><td>○</td><td>○</td><td>○</td><td>○</td></tr></table>	○	○	○	○	○	○
○	○	○	○	○	○		
備考 1. “超出 0.1 wt %” 及 “超出 0.01 wt %” 係指限用物質之百分比含量超出百分比含量基準。 Note 1: “Exceeding 0.1 wt %” and “exceeding 0.01 wt %” indicate that the percentage content of the restricted substance exceeds the reference percentage value of presence condition. 備考 2. “○” 係指該項限用物質之百分比含量未超出百分比含量基準值。 Note 2: “○” indicates that the percentage content of the restricted substance does not exceed the percentage of reference value of presence. 備考 3. “—” 係指該項限用物質為排除項目。 Note 3: The “-” indicates that the restricted substance corresponds to the exemption.							

限用物質含有情況標示

Presence Condition of the Restricted Substances Marking

設備名稱：開放式電源供應器，型號（型式）：UP2402B-04 Equipment name Type designation (Type)						
單元 Unit	限用物質及其化學符號 Restricted substances and its chemical symbols					
	鉛 Lead (Pb)	汞 Mercury (Hg)	鎘 Cadmium (Cd)	六價鉻 Hexavalent chromium (Cr ⁺⁶)	多溴聯苯 Polybrominated biphenyls (PBB)	多溴二苯醚 Polybrominated diphenyl ethers (PBDE)
印刷電路板組件 PCBA	—	○	○	○	○	○
變壓器 transformer	○	○	○	○	○	○
散熱模組 Thermal Module	○	○	○	○	○	○
錫鉛 Solder	○	○	○	○	○	○
直流風扇 DC-FAN	○	○	○	○	○	○
金屬外殼 Metal Shell	○	○	○	○	○	○
備考 1. “超出 0.1 wt %” 及 “超出 0.01 wt %” 係指限用物質之百分比含量超出百分比含量基準。 Note 1 : “Exceeding 0.1 wt %” and “exceeding 0.01 wt %” indicate that the percentage content of the restricted substance exceeds the reference percentage value of presence condition. 備考 2. “○” 係指該項限用物質之百分比含量未超出百分比含量基準值。 Note 2 : “○” indicates that the percentage content of the restricted substance does not exceed the percentage of reference value of presence. 備考 3. “—” 係指該項限用物質為排除項目。 Note 3 : The “—” indicates that the restricted substance corresponds to the exemption.						

限用物質含有情況標示

Presence Condition of the Restricted Substances Marking

設備名稱：開放式電源供應器，型號（型式）：UP3001D-54						
Equipment name		Type designation (Type)				
單元 Unit	限用物質及其化學符號 Restricted substances and its chemical symbols					
	鉛 Lead (Pb)	汞 Mercury (Hg)	鎘 Cadmium (Cd)	六價鉻 Hexavalent chromium (Cr ⁺⁶)	多溴聯苯 Polybrominated biphenyls (PBB)	多溴二苯醚 Polybrominated diphenyl ethers (PBDE)
印刷電路板組件 PCBA	—	○	○	○	○	○
變壓器 transformer	○	○	○	○	○	○
散熱模組 Thermal Module	○	○	○	○	○	○
錒錫 Solder	○	○	○	○	○	○
備考 1. “超出 0.1 wt %” 及 “超出 0.01 wt %” 係指限用物質之百分比含量超出百分比含量基準。						
Note 1： “Exceeding 0.1 wt %” and “exceeding 0.01 wt %” indicate that the percentage content of the restricted substance exceeds the reference percentage value of presence condition.						
備考 2. “○” 係指該項限用物質之百分比含量未超出百分比含量基準值。						
Note 2： “○” indicates that the percentage content of the restricted substance does not exceed the percentage of reference value of presence.						
備考 3. “—” 係指該項限用物質為排除項目。						
Note 3： The “—” indicates that the restricted substance corresponds to the exemption.						

限用物質含有情況標示

Presence Condition of the Restricted Substances Marking

設備名稱：開放式電源供應器，型號（型式）：UP5202F-02,UP4602F-02						
Equipment name		Type designation (Type)				
單元 Unit	限用物質及其化學符號 Restricted substances and its chemical symbols					
	鉛 Lead (Pb)	汞 Mercury (Hg)	鎘 Cadmium (Cd)	六價鉻 Hexavalent chromium (Cr ⁺⁶)	多溴聯苯 Polybrominated biphenyls (PBB)	多溴二苯醚 Polybrominated diphenyl ethers (PBDE)
印刷電路板組件 PCBA	—	○	○	○	○	○
變壓器 transformer	○	○	○	○	○	○
散熱模組 Thermal Module	○	○	○	○	○	○
錒錫 Solder	○	○	○	○	○	○
備考 1. “超出 0.1 wt %” 及 “超出 0.01 wt %” 係指限用物質之百分比含量超出百分比含量基準。						
Note 1：“Exceeding 0.1 wt %” and “exceeding 0.01 wt %” indicate that the percentage content of the restricted substance exceeds the reference percentage value of presence condition.						
備考 2. “○” 係指該項限用物質之百分比含量未超出百分比含量基準值。						
Note 2：“○” indicates that the percentage content of the restricted substance does not exceed the percentage of reference value of presence.						
備考 3. “—” 係指該項限用物質為排除項目。						
Note 3：The “—” indicates that the restricted substance corresponds to the exemption.						

限用物質含有情況標示

Presence Condition of the Restricted Substances Marking

設備名稱：開放式電源供應器，型號（型式）：UP5702B-01, UP5702B-02, UP5702B-03						
Equipment name	Type designation (Type)					
單元 Unit	限用物質及其化學符號 Restricted substances and its chemical symbols					
	鉛 Lead (Pb)	汞 Mercury (Hg)	鎘 Cadmium (Cd)	六價鉻 Hexavalent chromium (Cr ⁺⁶)	多溴聯苯 Polybrominated biphenyls (PBB)	多溴二苯醚 Polybrominated diphenyl ethers (PBDE)
印刷電路板組件 PCBA	—	○	○	○	○	○
變壓器 transformer	○	○	○	○	○	○
散熱模組 Thermal Module	○	○	○	○	○	○
錒錫 Solder	○	○	○	○	○	○
備考 1. “超出 0.1 wt %” 及 “超出 0.01 wt %” 係指限用物質之百分比含量超出百分比含量基準。 Note 1 : “Exceeding 0.1 wt %” and “exceeding 0.01 wt %” indicate that the percentage content of the restricted substance exceeds the reference percentage value of presence condition. 備考 2. “○” 係指該項限用物質之百分比含量未超出百分比含量基準值。 Note 2 : “○” indicates that the percentage content of the restricted substance does not exceed the percentage of reference value of presence. 備考 3. “—” 係指該項限用物質為排除項目。 Note 3 : The “-” indicates that the restricted substance corresponds to the exemption.						

限用物質含有情況標示

Presence Condition of the Restricted Substances Marking

設備名稱：開放式電源供應器，型號（型式）：UP8803B-01						
Equipment name	Type designation (Type)					
單元 Unit	限用物質及其化學符號 Restricted substances and its chemical symbols					
	鉛 Lead (Pb)	汞 Mercury (Hg)	鎘 Cadmium (Cd)	六價鉻 Hexavalent chromium (Cr ⁺⁶)	多溴聯苯 Polybrominated biphenyls (PBB)	多溴二苯醚 Polybrominated diphenyl ethers (PBDE)
印刷電路板組件 PCBA	—	○	○	○	○	○
變壓器 transformer	○	○	○	○	○	○
散熱模組 Thermal Module	○	○	○	○	○	○
鉛錫 Solder	○	○	○	○	○	○
備考 1. “超出 0.1 wt %” 及 “超出 0.01 wt %” 係指限用物質之百分比含量超出百分比含量基準。						
Note 1： “Exceeding 0.1 wt %” and “exceeding 0.01 wt %” indicate that the percentage content of the restricted substance exceeds the reference percentage value of presence condition.						
備考 2. “○” 係指該項限用物質之百分比含量未超出百分比含量基準值。						
Note 2： “○” indicates that the percentage content of the restricted substance does not exceed the percentage of reference value of presence.						
備考 3. “—” 係指該項限用物質為排除項目。						
Note 3： The “—” indicates that the restricted substance corresponds to the exemption.						

限用物質含有情況標示

Presence Condition of the Restricted Substances Marking

設備名稱：交換式電源供應器，型號（型式）：PS-90W-AC Equipment name Type designation (Type)						
單元 Unit	限用物質及其化學符號 Restricted substances and its chemical symbols					
	鉛 Lead (Pb)	汞 Mercury (Hg)	鎘 Cadmium (Cd)	六價鉻 Hexavalent chromium (Cr ⁺⁶)	多溴聯苯 Polybrominated biphenyls (PBB)	多溴二苯醚 Polybrominated diphenyl ethers (PBDE)
印刷電路板組件 PCBA	—	○	○	○	○	○
變壓器 transformer	○	○	○	○	○	○
散熱模組 Thermal Module	○	○	○	○	○	○
焊錫 Solder	○	○	○	○	○	○
直流風扇 DC-FAN	○	○	○	○	○	○
金屬外殼 Metal Shell	○	○	○	○	○	○
備考 1. “超出 0.1 wt %” 及 “超出 0.01 wt %” 係指限用物質之百分比含量超出百分比含量基準。 Note 1 : “Exceeding 0.1 wt %” and “exceeding 0.01 wt %” indicate that the percentage content of the restricted substance exceeds the reference percentage value of presence condition. 備考 2. “○” 係指該項限用物質之百分比含量未超出百分比含量基準值。 Note 2 : “○” indicates that the percentage content of the restricted substance does not exceed the percentage of reference value of presence. 備考 3. “—” 係指該項限用物質為排除項目。 Note 3 : The “—” indicates that the restricted substance corresponds to the exemption.						

限用物質含有情況標示

Presence Condition of the Restricted Substances Marking

設備名稱：交換式電源供應器，型號（型式）：PS-126W-AC Equipment name Type designation (Type)						
單元 Unit	限用物質及其化學符號 Restricted substances and its chemical symbols					
	鉛 Lead (Pb)	汞 Mercury (Hg)	鎘 Cadmium (Cd)	六價鉻 Hexavalent chromium (Cr ⁺⁶)	多溴聯苯 Polybrominated biphenyls (PBB)	多溴二苯醚 Polybrominated diphenyl ethers (PBDE)
印刷電路板組件 PCBA	—	○	○	○	○	○
變壓器 transformer	○	○	○	○	○	○
散熱模組 Thermal Module	○	○	○	○	○	○
焊錫 Solder	○	○	○	○	○	○
直流風扇 DC-FAN	○	○	○	○	○	○
金屬外殼 Metal Shell	○	○	○	○	○	○
備考 1. “超出 0.1 wt %” 及 “超出 0.01 wt %” 係指限用物質之百分比含量超出百分比含量基準。 Note 1 : “Exceeding 0.1 wt %” and “exceeding 0.01 wt %” indicate that the percentage content of the restricted substance exceeds the reference percentage value of presence condition. 備考 2. “○” 係指該項限用物質之百分比含量未超出百分比含量基準值。 Note 2 : “○” indicates that the percentage content of the restricted substance does not exceed the percentage of reference value of presence. 備考 3. “—” 係指該項限用物質為排除項目。 Note 3 : The “—” indicates that the restricted substance corresponds to the exemption.						

限用物質含有情況標示

Presence Condition of the Restricted Substances Marking

設備名稱：交換式電源供應器，型號（型式）：GA-PWR-18WAC							
Equipment name	Type designation (Type)						
單元 Unit	限用物質及其化學符號 Restricted substances and its chemical symbols						
	<table><tr><td>鉛 Lead (Pb)</td><td>汞 Mercury (Hg)</td><td>鎘 Cadmium (Cd)</td><td>六價鉻 Hexavalent chromium (Cr⁺⁶)</td><td>多溴聯苯 Polybrominated biphenyls (PBB)</td><td>多溴二苯醚 Polybrominated diphenyl ethers (PBDE)</td></tr></table>	鉛 Lead (Pb)	汞 Mercury (Hg)	鎘 Cadmium (Cd)	六價鉻 Hexavalent chromium (Cr ⁺⁶)	多溴聯苯 Polybrominated biphenyls (PBB)	多溴二苯醚 Polybrominated diphenyl ethers (PBDE)
鉛 Lead (Pb)	汞 Mercury (Hg)	鎘 Cadmium (Cd)	六價鉻 Hexavalent chromium (Cr ⁺⁶)	多溴聯苯 Polybrominated biphenyls (PBB)	多溴二苯醚 Polybrominated diphenyl ethers (PBDE)		
印刷電路板組件 PCBA	<table><tr><td>—</td><td>○</td><td>○</td><td>○</td><td>○</td><td>○</td></tr></table>	—	○	○	○	○	○
—	○	○	○	○	○		
金屬外殼組件 Metal Shell	<table><tr><td>○</td><td>○</td><td>○</td><td>○</td><td>○</td><td>○</td></tr></table>	○	○	○	○	○	○
○	○	○	○	○	○		
塑膠安裝組件 Plastic Components	<table><tr><td>○</td><td>○</td><td>○</td><td>○</td><td>○</td><td>○</td></tr></table>	○	○	○	○	○	○
○	○	○	○	○	○		
電源線組 Power Cord Sets	<table><tr><td>—</td><td>○</td><td>○</td><td>○</td><td>○</td><td>○</td></tr></table>	—	○	○	○	○	○
—	○	○	○	○	○		
包裝組件 Packaging Components	<table><tr><td>○</td><td>○</td><td>○</td><td>○</td><td>○</td><td>○</td></tr></table>	○	○	○	○	○	○
○	○	○	○	○	○		
黃銅組件 Brass Components	<table><tr><td>—</td><td>○</td><td>○</td><td>○</td><td>○</td><td>○</td></tr></table>	—	○	○	○	○	○
—	○	○	○	○	○		
備考 1. “超出 0.1 wt %” 及 “超出 0.01 wt %” 係指限用物質之百分比含量超出百分比含量基準。 Note 1： “Exceeding 0.1 wt %” and “exceeding 0.01 wt %” indicate that the percentage content of the restricted substance exceeds the reference percentage value of presence condition. 備考 2. “○” 係指該項限用物質之百分比含量未超出百分比含量基準值。 Note 2： “○” indicates that the percentage content of the restricted substance does not exceed the percentage of reference value of presence. 備考 3. “—” 係指該項限用物質為排除項目。 Note 3： The “—” indicates that the restricted substance corresponds to the exemption.							

限用物質含有情況標示

Presence Condition of the Restricted Substances Marking

設備名稱：交換式電源供應器，型號（型式）：UP6001R, UP9201R, UP1K21R, UP3001R	
Equipment name	Type designation (Type)
單元 Unit	限用物質及其化學符號 Restricted substances and its chemical symbols
	鉛 Lead (Pb) 汞 Mercury (Hg) 鎘 Cadmium (Cd) 六價鉻 Hexavalent chromium (Cr⁺⁶) 多溴聯苯 Polybrominated biphenyls (PBB) 多溴二苯醚 Polybrominated diphenyl ethers (PBDE)
印刷電路板組件 PCBA	— O O O O O
變壓器 transformer	O O O O O O
散熱模組 Thermal Module	O O O O O O
錐錫 Solder	O O O O O O
直流風扇 DC-FAN	O O O O O O
金屬外殼 Metal Shell	O O O O O O

備考 1. “超出 0.1 wt %” 及 “超出 0.01 wt %” 係指限用物質之百分比含量超出百分比含量基準。

Note 1 : “Exceeding 0.1 wt %” and “exceeding 0.01 wt %” indicate that the percentage content of the restricted substance exceeds the reference percentage value of presence condition.

備考 2. “○” 係指該項限用物質之百分比含量未超出百分比含量基準值。

Note 2 : “○” indicates that the percentage content of the restricted substance does not exceed the percentage of reference value of presence.

備考 3. “—” 係指該項限用物質為排除項目。

Note 3 : The “—” indicates that the restricted substance corresponds to the exemption.

限用物質含有情況標示

Presence Condition of the Restricted Substances Marking

設備名稱：交換式電源供應器，型號（型式）：MA-PWR-100WAC						
Equipment name	Type designation (Type)					
單元 Unit	限用物質及其化學符號 Restricted substances and its chemical symbols					
	鉛 Lead (Pb)	汞 Mercury (Hg)	鎘 Cadmium (Cd)	六價鉻 Hexavalent chromium (Cr ⁺⁶)	多溴聯苯 Polybrominated biphenyls (PBB)	多溴二苯醚 Polybrominated diphenyl ethers (PBDE)
印刷電路板組件 PCBA	—	○	○	○	○	○
金屬外殼組件 Metal Shell	○	○	○	○	○	○
塑膠安裝組件 Plastic Components	○	○	○	○	○	○
電源線組 Power Cord Sets	—	○	○	○	○	○
包裝組件 Packaging Components	○	○	○	○	○	○
黃銅組件 Brass Components	—	○	○	○	○	○
備考 1. “超出 0.1 wt %” 及 “超出 0.01 wt %” 係指限用物質之百分比含量超出百分比含量基準。 Note 1： “Exceeding 0.1 wt %” and “exceeding 0.01 wt %” indicate that the percentage content of the restricted substance exceeds the reference percentage value of presence condition.						
備考 2. “○” 係指該項限用物質之百分比含量未超出百分比含量基準值。 Note 2： “○” indicates that the percentage content of the restricted substance does not exceed the percentage of reference value of presence.						
備考 3. “—” 係指該項限用物質為排除項目。 Note 3： The “—” indicates that the restricted substance corresponds to the exemption.						

限用物質含有情況標示

Presence Condition of the Restricted Substances Marking

設備名稱：交換式電源供應器，型號（型式）：MA-PWR-2-30W-US, MA-PWR-30W-US						
Equipment name	Type designation (Type)					
單元 Unit	限用物質及其化學符號 Restricted substances and its chemical symbols					
	鉛 Lead (Pb)	汞 Mercury (Hg)	鎘 Cadmium (Cd)	六價鉻 Hexavalent chromium (Cr ⁺⁶)	多溴聯苯 Polybrominated biphenyls (PBB)	多溴二苯醚 Polybrominated diphenyl ethers (PBDE)
印刷電路板組件 PCBA	—	○	○	○	○	○
金屬外殼組件 Metal Shell	○	○	○	○	○	○
塑膠安裝組件 Plastic Components	○	○	○	○	○	○
電源線組 Power Cord Sets	—	○	○	○	○	○
包裝組件 Packaging Components	○	○	○	○	○	○
黃銅組件 Brass Components	—	○	○	○	○	○
備考 1. “超出 0.1 wt %” 及 “超出 0.01 wt %” 係指限用物質之百分比含量超出百分比含量基準。 Note 1： “Exceeding 0.1 wt %” and “exceeding 0.01 wt %” indicate that the percentage content of the restricted substance exceeds the reference percentage value of presence condition.						
備考 2. “○” 係指該項限用物質之百分比含量未超出百分比含量基準值。 Note 2： “○” indicates that the percentage content of the restricted substance does not exceed the percentage of reference value of presence.						
備考 3. “—” 係指該項限用物質為排除項目。 Note 3： The “—” indicates that the restricted substance corresponds to the exemption.						

限用物質含有情況標示

Presence Condition of the Restricted Substances Marking

設備名稱：電源供應器，型號（型式）：						
Equipment name		Type designation (Type)				
UP0751G-05, UP0751G-12, UP0751G-15, UP0751G-24, UP0751G-36, UP0751G-48, UP0751G-54, UP0751G-05S1, UP0751G-12S1, UP0751G-15S1, UP0751G-24S1, UP0751G-36S1, UP0751G-48S1, UP0751G-54S1, UP0751G-05S2, UP0751G-12S2, UP0751G-15S2, UP0751G-24S2, UP0751G-36S2, UP0751G-48S2, UP0751G-54S2, UP0751G-05S3, UP0751G-12S3, UP0751G-15S3, UP0751G-24S3, UP0751G-36S3, UP0751G-48S3, UP0751G-54S3						
單元 Unit	限用物質及其化學符號 Restricted substances and its chemical symbols					
	鉛 Lead (Pb)	汞 Mercury (Hg)	鎘 Cadmium (Cd)	六價鉻 Hexavalent chromium (Cr ⁺⁶)	多溴聯苯 Polybrominated biphenyls (PBB)	多溴二苯醚 Polybrominated diphenyl ethers (PBDE)
印刷電路板組件 PCBA	—	○	○	○	○	○
變壓器 transformer	○	○	○	○	○	○
散熱模組 Thermal Module	○	○	○	○	○	○
錒錫 Solder	○	○	○	○	○	○
直流風扇 DC-FAN	○	○	○	○	○	○
金屬外殼 Metal Shell	○	○	○	○	○	○
備考 1. “超出 0.1 wt %” 及 “超出 0.01 wt %” 係指限用物質之百分比含量超出百分比含量基準。						
Note 1: “Exceeding 0.1 wt %” and “exceeding 0.01 wt %” indicate that the percentage content of the restricted substance exceeds the reference percentage value of presence condition.						
備考 2. “○” 係指該項限用物質之百分比含量未超出百分比含量基準值。						
Note 2: “○” indicates that the percentage content of the restricted substance does not exceed the percentage of reference value of presence.						
備考 3. “—” 係指該項限用物質為排除項目。						
Note 3: The “—” indicates that the restricted substance corresponds to the exemption.						

限用物質含有情況標示

Presence Condition of the Restricted Substances Marking

設備名稱：電源供應器，型號（型式）：						
Equipment name		Type designation (Type)				
UP0501G-05, UP0501G-12, UP0501G-15, UP0501G-24, UP0501G-36, UP0501G-48, UP0501G-54, UP0501G-05S1, UP0501G-12S1, UP0501G-15S1, UP0501G-24S1, UP0501G-36S1, UP0501G-48S1, UP0501G-54S1, UP0501G-05S2, UP0501G-12S2, UP0501G-15S2, UP0501G-24S2, UP0501G-36S2, UP0501G-48S2, UP0501G-54S2, UP0501G-05S3, UP0501G-12S3, UP0501G-15S3, UP0501G-24S3, UP0501G-36S3, UP0501G-48S3, UP0501G-54S3						
單元 Unit	限用物質及其化學符號 Restricted substances and its chemical symbols					
	鉛 Lead (Pb)	汞 Mercury (Hg)	鎘 Cadmium (Cd)	六價鉻 Hexavalent chromium (Cr ⁺⁶)	多溴聯苯 Polybrominated biphenyls (PBB)	多溴二苯醚 Polybrominated diphenyl ethers (PBDE)
印刷電路板組件 PCBA	—	○	○	○	○	○
變壓器 transformer	○	○	○	○	○	○
散熱模組 Thermal Module	○	○	○	○	○	○
錒錫 Solder	○	○	○	○	○	○
直流風扇 DC-FAN	○	○	○	○	○	○
金屬外殼 Metal Shell	○	○	○	○	○	○
備考 1. “超出 0.1 wt %” 及 “超出 0.01 wt %” 係指限用物質之百分比含量超出百分比含量基準。						
Note 1: “Exceeding 0.1 wt %” and “exceeding 0.01 wt %” indicate that the percentage content of the restricted substance exceeds the reference percentage value of presence condition.						
備考 2. “○” 係指該項限用物質之百分比含量未超出百分比含量基準值。						
Note 2: “○” indicates that the percentage content of the restricted substance does not exceed the percentage of reference value of presence.						
備考 3. “—” 係指該項限用物質為排除項目。						
Note 3: The “—” indicates that the restricted substance corresponds to the exemption.						

限用物質含有情況標示

Presence Condition of the Restricted Substances Marking

設備名稱：開放式電源供應器，型號（型式）：UP3053A-01							
Equipment name	Type designation (Type)						
單元 Unit	限用物質及其化學符號 Restricted substances and its chemical symbols						
	<table><tr><td>鉛 Lead (Pb)</td><td>汞 Mercury (Hg)</td><td>鎘 Cadmium (Cd)</td><td>六價鉻 Hexavalent chromium (Cr⁺⁶)</td><td>多溴聯苯 Polybrominated biphenyls (PBB)</td><td>多溴二苯醚 Polybrominated diphenyl ethers (PBDE)</td></tr></table>	鉛 Lead (Pb)	汞 Mercury (Hg)	鎘 Cadmium (Cd)	六價鉻 Hexavalent chromium (Cr ⁺⁶)	多溴聯苯 Polybrominated biphenyls (PBB)	多溴二苯醚 Polybrominated diphenyl ethers (PBDE)
鉛 Lead (Pb)	汞 Mercury (Hg)	鎘 Cadmium (Cd)	六價鉻 Hexavalent chromium (Cr ⁺⁶)	多溴聯苯 Polybrominated biphenyls (PBB)	多溴二苯醚 Polybrominated diphenyl ethers (PBDE)		
印刷電路板組件 PCBA	<table><tr><td>—</td><td>○</td><td>○</td><td>○</td><td>○</td><td>○</td></tr></table>	—	○	○	○	○	○
—	○	○	○	○	○		
變壓器 transformer	<table><tr><td>○</td><td>○</td><td>○</td><td>○</td><td>○</td><td>○</td></tr></table>	○	○	○	○	○	○
○	○	○	○	○	○		
散熱模組 Thermal Module	<table><tr><td>○</td><td>○</td><td>○</td><td>○</td><td>○</td><td>○</td></tr></table>	○	○	○	○	○	○
○	○	○	○	○	○		
錒錫 Solder	<table><tr><td>○</td><td>○</td><td>○</td><td>○</td><td>○</td><td>○</td></tr></table>	○	○	○	○	○	○
○	○	○	○	○	○		
備考 1. “超出 0.1 wt %” 及 “超出 0.01 wt %” 係指限用物質之百分比含量超出百分比含量基準。 Note 1: “Exceeding 0.1 wt %” and “exceeding 0.01 wt %” indicate that the percentage content of the restricted substance exceeds the reference percentage value of presence condition. 備考 2. “○” 係指該項限用物質之百分比含量未超出百分比含量基準值。 Note 2: “○” indicates that the percentage content of the restricted substance does not exceed the percentage of reference value of presence. 備考 3. “—” 係指該項限用物質為排除項目。 Note 3: The “—” indicates that the restricted substance corresponds to the exemption.							

限用物質含有情況標示

Presence Condition of the Restricted Substances Marking

設備名稱：開放式電源供應器，型號（型式）：UP0601F-12						
Equipment name	Type designation (Type)					
單元 Unit	限用物質及其化學符號					
	Restricted substances and its chemical symbols					
	鉛 Lead (Pb)	汞 Mercury (Hg)	鎘 Cadmium (Cd)	六價鉻 Hexavalent chromium (Cr ⁺⁶)	多溴聯苯 Polybrominated biphenyls (PBB)	多溴二苯醚 Polybrominated diphenyl ethers (PBDE)
印刷電路板組件 PCBA	—	○	○	○	○	○
變壓器 transformer	○	○	○	○	○	○
散熱模組 Thermal Module	○	○	○	○	○	○
鉺錫 Solder	○	○	○	○	○	○
備考 1. “超出 0.1 wt %” 及 “超出 0.01 wt %” 係指限用物質之百分比含量超出百分比含量基準。						
Note 1 : “Exceeding 0.1 wt %” and “exceeding 0.01 wt %” indicate that the percentage content of the restricted substance exceeds the reference percentage value of presence condition.						
備考 2. “○” 係指該項限用物質之百分比含量未超出百分比含量基準值。						
Note 2 : “○” indicates that the percentage content of the restricted substance does not exceed the percentage of reference value of presence.						
備考 3. “—” 係指該項限用物質為排除項目。						
Note 3 : The “-” indicates that the restricted substance corresponds to the exemption.						

限用物質含有情況標示

Presence Condition of the Restricted Substances Marking

設備名稱：交換式電源供應器，型號（型式）：UP0251D-12PA							
Equipment name	Type designation (Type)						
單元 Unit	限用物質及其化學符號 Restricted substances and its chemical symbols						
	<table><tr><td>鉛 Lead (Pb)</td><td>汞 Mercury (Hg)</td><td>鎘 Cadmium (Cd)</td><td>六價鉻 Hexavalent chromium (Cr⁺⁶)</td><td>多溴聯苯 Polybrominated biphenyls (PBB)</td><td>多溴二苯醚 Polybrominated diphenyl ethers (PBDE)</td></tr></table>	鉛 Lead (Pb)	汞 Mercury (Hg)	鎘 Cadmium (Cd)	六價鉻 Hexavalent chromium (Cr ⁺⁶)	多溴聯苯 Polybrominated biphenyls (PBB)	多溴二苯醚 Polybrominated diphenyl ethers (PBDE)
鉛 Lead (Pb)	汞 Mercury (Hg)	鎘 Cadmium (Cd)	六價鉻 Hexavalent chromium (Cr ⁺⁶)	多溴聯苯 Polybrominated biphenyls (PBB)	多溴二苯醚 Polybrominated diphenyl ethers (PBDE)		
印刷電路板組件 PCBA	<table><tr><td>—</td><td>○</td><td>○</td><td>○</td><td>○</td><td>○</td></tr></table>	—	○	○	○	○	○
—	○	○	○	○	○		
塑膠外殼組件 Plastic Shell	<table><tr><td>○</td><td>○</td><td>○</td><td>○</td><td>○</td><td>○</td></tr></table>	○	○	○	○	○	○
○	○	○	○	○	○		
塑膠安裝組件 Plastic Components	<table><tr><td>○</td><td>○</td><td>○</td><td>○</td><td>○</td><td>○</td></tr></table>	○	○	○	○	○	○
○	○	○	○	○	○		
包裝組件 Packaging Components	<table><tr><td>○</td><td>○</td><td>○</td><td>○</td><td>○</td><td>○</td></tr></table>	○	○	○	○	○	○
○	○	○	○	○	○		
黃銅組件 Brass Components	<table><tr><td>—</td><td>○</td><td>○</td><td>○</td><td>○</td><td>○</td></tr></table>	—	○	○	○	○	○
—	○	○	○	○	○		
備考 1. “超出 0.1 wt %” 及 “超出 0.01 wt %” 係指限用物質之百分比含量超出百分比含量基準。 Note 1： “Exceeding 0.1 wt %” and “exceeding 0.01 wt %” indicate that the percentage content of the restricted substance exceeds the reference percentage value of presence condition. 備考 2. “○” 係指該項限用物質之百分比含量未超出百分比含量基準值。 Note 2： “○” indicates that the percentage content of the restricted substance does not exceed the percentage of reference value of presence. 備考 3. “—” 係指該項限用物質為排除項目。 Note 3： The “—” indicates that the restricted substance corresponds to the exemption.							

限用物質含有情況標示

Presence Condition of the Restricted Substances Marking

設備名稱：開放式電源供應器，型號（型式）：UP1501H-54						
Equipment name	Type designation (Type)					
單元 Unit	限用物質及其化學符號 Restricted substances and its chemical symbols					
	鉛 Lead (Pb)	汞 Mercury (Hg)	鎘 Cadmium (Cd)	六價鉻 Hexavalent chromium (Cr ⁶⁺)	多溴聯苯 Polybrominated biphenyls (PBB)	多溴二苯醚 Polybrominated diphenyl ethers (PBDE)
印刷電路板組件 PCBA	—	○	○	○	○	○
變壓器 transformer	○	○	○	○	○	○
散熱模組 Thermal Module	○	○	○	○	○	○
錒錫 Solder	○	○	○	○	○	○
備考 1. “超出 0.1 wt %” 及 “超出 0.01 wt %” 係指限用物質之百分比含量超出百分比含量基準。 Note 1 : “Exceeding 0.1 wt %” and “exceeding 0.01 wt %” indicate that the percentage content of the restricted substance exceeds the reference percentage value of presence condition.						
備考 2. “○” 係指該項限用物質之百分比含量未超出百分比含量基準值。 Note 2 : “○” indicates that the percentage content of the restricted substance does not exceed the percentage of reference value of presence.						
備考 3. “—” 係指該項限用物質為排除項目。 Note 3 : The “—” indicates that the restricted substance corresponds to the exemption.						

限用物質含有情況標示

Presence Condition of the Restricted Substances Marking

設備名稱：交換式電源供應器，型號（型式）：UP0121M-12PA						
Equipment name	Type designation (Type)					
單元 Unit	限用物質及其化學符號 Restricted substances and its chemical symbols					
	鉛 Lead (Pb)	汞 Mercury (Hg)	鎘 Cadmium (Cd)	六價鉻 Hexavalent chromium (Cr ⁺⁶)	多溴聯苯 Polybrominated biphenyls (PBB)	多溴二苯醚 Polybrominated diphenyl ethers (PBDE)
印刷電路板組件 PCBA	—	○	○	○	○	○
金屬外殼組件 Metal Shell	○	○	○	○	○	○
塑膠安裝組件 Plastic Components	○	○	○	○	○	○
電源線組 Power Cord Sets	—	○	○	○	○	○
包裝組件 Packaging Components	○	○	○	○	○	○
黃銅組件 Brass Components	—	○	○	○	○	○
備考 1. “超出 0.1 wt %” 及 “超出 0.01 wt %” 係指限用物質之百分比含量超出百分比含量基準。 Note 1： “Exceeding 0.1 wt %” and “exceeding 0.01 wt %” indicate that the percentage content of the restricted substance exceeds the reference percentage value of presence condition.						
備考 2. “○” 係指該項限用物質之百分比含量未超出百分比含量基準值。 Note 2： “○” indicates that the percentage content of the restricted substance does not exceed the percentage of reference value of presence.						
備考 3. “—” 係指該項限用物質為排除項目。 Note 3： The “—” indicates that the restricted substance corresponds to the exemption.						

限用物質含有情況標示

Presence Condition of the Restricted Substances Marking

設備名稱：交換式電源供應器，型號（型式）：UP0301V-12PP, MA-PWR-30WAC						
Equipment name	Type designation (Type)					
單元 Unit	限用物質及其化學符號 Restricted substances and its chemical symbols					
	鉛 Lead (Pb)	汞 Mercury (Hg)	鎘 Cadmium (Cd)	六價鉻 Hexavalent chromium (Cr ⁺⁶)	多溴聯苯 Polybrominated biphenyls (PBB)	多溴二苯醚 Polybrominated diphenyl ethers (PBDE)
印刷電路板組件 PCBA	—	○	○	○	○	○
塑膠外殼組件 Plastic Shell	○	○	○	○	○	○
塑膠安裝組件 Plastic Components	○	○	○	○	○	○
包裝組件 Packaging Components	○	○	○	○	○	○
黃銅組件 Brass Components	—	○	○	○	○	○
備考 1. “超出 0.1 wt %” 及 “超出 0.01 wt %” 係指限用物質之百分比含量超出百分比含量基準。 Note 1 : “Exceeding 0.1 wt %” and “exceeding 0.01 wt %” indicate that the percentage content of the restricted substance exceeds the reference percentage value of presence condition.						
備考 2. “○” 係指該項限用物質之百分比含量未超出百分比含量基準值。 Note 2 : “○” indicates that the percentage content of the restricted substance does not exceed the percentage of reference value of presence.						
備考 3. “—” 係指該項限用物質為排除項目。 Note 3 : The “—” indicates that the restricted substance corresponds to the exemption.						

限用物質含有情況標示

Presence Condition of the Restricted Substances Marking

設備名稱：開放式電源供應器，型號（型式）：UP6601B, UP8601B, UP1K21B						
Equipment name	Type designation (Type)					
單元 Unit	限用物質及其化學符號 Restricted substances and its chemical symbols					
	鉛 Lead (Pb)	汞 Mercury (Hg)	鎘 Cadmium (Cd)	六價鉻 Hexavalent chromium (Cr ⁺⁶)	多溴聯苯 Polybrominated biphenyls (PBB)	多溴二苯醚 Polybrominated diphenyl ethers (PBDE)
印刷電路板組件 PCBA	—	○	○	○	○	○
變壓器 transformer	○	○	○	○	○	○
散熱模組 Thermal Module	○	○	○	○	○	○
錒錫 Solder	○	○	○	○	○	○
金屬 Metal	○	○	○	○	○	○
備考 1. “超出 0.1 wt %” 及 “超出 0.01 wt %” 係指限用物質之百分比含量超出百分比含量基準。 Note 1 : “Exceeding 0.1 wt %” and “exceeding 0.01 wt %” indicate that the percentage content of the restricted substance exceeds the reference percentage value of presence condition.						
備考 2. “○” 係指該項限用物質之百分比含量未超出百分比含量基準值。 Note 2 : “○” indicates that the percentage content of the restricted substance does not exceed the percentage of reference value of presence.						
備考 3. “—” 係指該項限用物質為排除項目。 Note 3 : The “—” indicates that the restricted substance corresponds to the exemption.						

限用物質含有情況標示

Presence Condition of the Restricted Substances Marking

設備名稱：交換式電源供應器，型號（型式）：UP1201A-54PP Equipment nameType designation (Type)						
單元 Unit	限用物質及其化學符號 Restricted substances and its chemical symbols					
	鉛 Lead (Pb)	汞 Mercury (Hg)	鎘 Cadmium (Cd)	六價鉻 Hexavalent chromium (Cr ⁶⁺)	多溴聯苯 Polybrominated biphenyls (PBB)	多溴二苯醚 Polybrominated diphenyl ethers (PBDE)
印刷電路板組件 PCBA	—	○	○	○	○	○
金屬外殼組件 Metal Shell	○	○	○	○	○	○
塑膠安裝組件 Plastic Components	○	○	○	○	○	○
電源線組 Power Cord Sets	—	○	○	○	○	○
包裝組件 Packaging Components	○	○	○	○	○	○
黃銅組件 Brass Components	—	○	○	○	○	○
備考 1. “超出 0.1 wt %” 及 “超出 0.01 wt %” 係指限用物質之百分比含量超出百分比含量基準。 Note 1：“Exceeding 0.1 wt %” and “exceeding 0.01 wt %” indicate that the percentage content of the restricted substance exceeds the reference percentage value of presence condition. 備考 2. “○” 係指該項限用物質之百分比含量未超出百分比含量基準值。 Note 2：“○” indicates that the percentage content of the restricted substance does not exceed the percentage of reference value of presence. 備考 3. “—” 係指該項限用物質為排除項目。 Note 3：The “—” indicates that the restricted substance corresponds to the exemption.						

限用物質含有情況標示

Presence Condition of the Restricted Substances Marking

設備名稱：開放式電源供應器，型號（型式）：UP1502R, UP2502R						
Equipment name		Type designation (Type)				
單元 Unit	限用物質及其化學符號 Restricted substances and its chemical symbols					
	鉛 Lead (Pb)	汞 Mercury (Hg)	鎘 Cadmium (Cd)	六價鉻 Hexavalent chromium (Cr ⁺⁶)	多溴聯苯 Polybrominated biphenyls (PBB)	多溴二苯醚 Polybrominated diphenyl ethers (PBDE)
印刷電路板組件 PCBA	—	○	○	○	○	○
變壓器 transformer	○	○	○	○	○	○
散熱模組 Thermal Module	○	○	○	○	○	○
錒錫 Solder	○	○	○	○	○	○
直流風扇 DC-FAN	○	○	○	○	○	○
金屬外殼 Metal Shell	○	○	○	○	○	○
備考 1. “超出 0.1 wt %” 及 “超出 0.01 wt %” 係指限用物質之百分比含量超出百分比含量基準。 Note 1： “Exceeding 0.1 wt %” and “exceeding 0.01 wt %” indicate that the percentage content of the restricted substance exceeds the reference percentage value of presence condition.						
備考 2. “○” 係指該項限用物質之百分比含量未超出百分比含量基準值。 Note 2： “○” indicates that the percentage content of the restricted substance does not exceed the percentage of reference value of presence.						
備考 3. “—” 係指該項限用物質為排除項目。 Note 3： The “—” indicates that the restricted substance corresponds to the exemption.						

限用物質含有情況標示

Presence Condition of the Restricted Substances Marking

設備名稱：開放式電源供應器，型號（型式）：UP2K01R						
Equipment name	Type designation (Type)					
單元 Unit	限用物質及其化學符號 Restricted substances and its chemical symbols					
	鉛 Lead (Pb)	汞 Mercury (Hg)	鎘 Cadmium (Cd)	六價鉻 Hexavalent chromium (Cr ⁺⁶)	多溴聯苯 Polybrominated biphenyls (PBB)	多溴二苯醚 Polybrominated diphenyl ethers (PBDE)
印刷電路板組件 PCBA	—	○	○	○	○	○
變壓器 transformer	○	○	○	○	○	○
散熱模組 Thermal Module	○	○	○	○	○	○
錒錫 Solder	○	○	○	○	○	○
直流風扇 DC-FAN	○	○	○	○	○	○
金屬外殼 Metal Shell	○	○	○	○	○	○
備考 1. “超出 0.1 wt %” 及 “超出 0.01 wt %” 係指限用物質之百分比含量超出百分比含量基準。 Note 1： “Exceeding 0.1 wt %” and “exceeding 0.01 wt %” indicate that the percentage content of the restricted substance exceeds the reference percentage value of presence condition.						
備考 2. “○” 係指該項限用物質之百分比含量未超出百分比含量基準值。 Note 2： “○” indicates that the percentage content of the restricted substance does not exceed the percentage of reference value of presence.						
備考 3. “—” 係指該項限用物質為排除項目。 Note 3： The “—” indicates that the restricted substance corresponds to the exemption.						

限用物質含有情況標示

Presence Condition of the Restricted Substances Marking

設備名稱：交換式電源供應器，型號（型式）：UP1601B-54PP						
Equipment name		Type designation (Type)				
單元 Unit	限用物質及其化學符號 Restricted substances and its chemical symbols					
	鉛 Lead (Pb)	汞 Mercury (Hg)	鎘 Cadmium (Cd)	六價鉻 Hexavalent chromium (Cr ⁶⁺)	多溴聯苯 Polybrominated biphenyls (PBB)	多溴二苯醚 Polybrominated diphenyl ethers (PBDE)
印刷電路板組件 PCBA	—	○	○	○	○	○
金屬外殼組件 Metal Shell	○	○	○	○	○	○
塑膠安裝組件 Plastic Components	○	○	○	○	○	○
電源線組 Power Cord Sets	—	○	○	○	○	○
包裝組件 Packaging Components	○	○	○	○	○	○
黃銅組件 Brass Components	—	○	○	○	○	○
備考 1. “超出 0.1 wt %” 及 “超出 0.01 wt %” 係指限用物質之百分比含量超出百分比含量基準。 Note 1 : “Exceeding 0.1 wt %” and “exceeding 0.01 wt %” indicate that the percentage content of the restricted substance exceeds the reference percentage value of presence condition.						
備考 2. “○” 係指該項限用物質之百分比含量未超出百分比含量基準值。 Note 2 : “○” indicates that the percentage content of the restricted substance does not exceed the percentage of reference value of presence.						
備考 3. “—” 係指該項限用物質為排除項目。 Note 3 : The “—” indicates that the restricted substance corresponds to the exemption.						

限用物質含有情況標示

Presence Condition of the Restricted Substances Marking

設備名稱：開放式電源供應器，型號（型式）：UP1101A-12						
Equipment name	Type designation (Type)					
單元 Unit	限用物質及其化學符號 Restricted substances and its chemical symbols					
	鉛 Lead (Pb)	汞 Mercury (Hg)	鎘 Cadmium (Cd)	六價鉻 Hexavalent chromium (Cr ⁺ ₆)	多溴聯苯 Polybrominated biphenyls (PBB)	多溴二苯醚 Polybrominated diphenyl ethers (PBDE)
印刷電路板組件 PCBA	—	○	○	○	○	○
變壓器 transformer	○	○	○	○	○	○
散熱模組 Thermal Module	○	○	○	○	○	○
錒錫 Solder	○	○	○	○	○	○
備考 1. “超出 0.1 wt %” 及 “超出 0.01 wt %” 係指限用物質之百分比含量超出百分比含量基準。						
Note 1：“Exceeding 0.1 wt %” and “exceeding 0.01 wt %” indicate that the percentage content of the restricted substance exceeds the reference percentage value of presence condition.						
備考 2. “○” 係指該項限用物質之百分比含量未超出百分比含量基準值。						
Note 2：“○” indicates that the percentage content of the restricted substance does not exceed the percentage of reference value of presence.						
備考 3. “—” 係指該項限用物質為排除項目。						
Note 3：The “—” indicates that the restricted substance corresponds to the exemption.						

限用物質含有情況標示

Presence Condition of the Restricted Substances Marking

設備名稱：開放式電源供應器，型號（型式）：UP1501H-12						
Equipment name	Type designation (Type)					
單元 Unit	限用物質及其化學符號 Restricted substances and its chemical symbols					
	鉛 Lead (Pb)	汞 Mercury (Hg)	鎘 Cadmium (Cd)	六價鉻 Hexavalent chromium (Cr ⁶⁺)	多溴聯苯 Polybrominated biphenyls (PBB)	多溴二苯醚 Polybrominated diphenyl ethers (PBDE)
印刷電路板組件 PCBA	—	○	○	○	○	○
變壓器 transformer	○	○	○	○	○	○
散熱模組 Thermal Module	○	○	○	○	○	○
錒錫 Solder	○	○	○	○	○	○
備考 1. “超出 0.1 wt %” 及 “超出 0.01 wt %” 係指限用物質之百分比含量超出百分比含量基準。						
Note 1：“Exceeding 0.1 wt %” and “exceeding 0.01 wt %” indicate that the percentage content of the restricted substance exceeds the reference percentage value of presence condition.						
備考 2. “○” 係指該項限用物質之百分比含量未超出百分比含量基準值。						
Note 2：“○” indicates that the percentage content of the restricted substance does not exceed the percentage of reference value of presence.						
備考 3. “—” 係指該項限用物質為排除項目。						
Note 3：The “—” indicates that the restricted substance corresponds to the exemption.						

限用物質含有情況標示

Presence Condition of the Restricted Substances Marking

設備名稱：開放式電源供應器，型號（型式）：UPD1501SA						
Equipment name	Type designation (Type)					
單元 Unit	限用物質及其化學符號 Restricted substances and its chemical symbols					
	鉛 Lead (Pb)	汞 Mercury (Hg)	鎘 Cadmium (Cd)	六價鉻 Hexavalent chromium (Cr ⁺⁶)	多溴聯苯 Polybrominated biphenyls (PBB)	多溴二苯醚 Polybrominated diphenyl ethers (PBDE)
印刷電路板組件 PCBA	—	O	O	O	O	O
變壓器 transformer	O	O	O	O	O	O
散熱模組 Thermal Module	O	O	O	O	O	O
錫鉛 Solder	O	O	O	O	O	O
直流風扇 DC-FAN	O	O	O	O	O	O
金屬外殼 Metal Shell	O	O	O	O	O	O

備考 1. “超出 0.1 wt %” 及 “超出 0.01 wt %” 係指限用物質之百分比含量超出百分比含量基準。

Note 1： “Exceeding 0.1 wt %” and “exceeding 0.01 wt %” indicate that the percentage content of the restricted substance exceeds the reference percentage value of presence condition.

備考 2. “○” 係指該項限用物質之百分比含量未超出百分比含量基準值。

Note 2： “○” indicates that the percentage content of the restricted substance does not exceed the percentage of reference value of presence.

備考 3. “—” 係指該項限用物質為排除項目。

Note 3： The “—” indicates that the restricted substance corresponds to the exemption.

限用物質含有情況標示

Presence Condition of the Restricted Substances Marking

設備名稱：交換式電源供應器，型號（型式）：UP9201R-1, UP1K21R-1						
Equipment name		Type designation (Type)				
單元 Unit	限用物質及其化學符號 Restricted substances and its chemical symbols					
	鉛 Lead (Pb)	汞 Mercury (Hg)	鎘 Cadmium (Cd)	六價鉻 Hexavalent chromium (Cr ⁺⁶)	多溴聯苯 Polybrominated biphenyls (PBB)	多溴二苯醚 Polybrominated diphenyl ethers (PBDE)
印刷電路板組件 PCBA	—	O	O	O	O	O
變壓器 transformer	O	O	O	O	O	O
散熱模組 Thermal Module	O	O	O	O	O	O
錫鉛 Solder	O	O	O	O	O	O
直流風扇 DC-FAN	O	O	O	O	O	O
金屬外殼 Metal Shell	O	O	O	O	O	O
備考 1. “超出 0.1 wt %” 及 “超出 0.01 wt %” 係指限用物質之百分比含量超出百分比含量基準。 Note 1 : “Exceeding 0.1 wt %” and “exceeding 0.01 wt %” indicate that the percentage content of the restricted substance exceeds the reference percentage value of presence condition.						
備考 2. “○” 係指該項限用物質之百分比含量未超出百分比含量基準值。 Note 2 : “○” indicates that the percentage content of the restricted substance does not exceed the percentage of reference value of presence.						
備考 3. “—” 係指該項限用物質為排除項目。 Note 3 : The “—” indicates that the restricted substance corresponds to the exemption.						

限用物質含有情況標示

Presence Condition of the Restricted Substances Marking

設備名稱：交換式電源供應器，型號（型式）：UP6001R, UP1K21R, UP3001R	
Equipment name	Type designation (Type)
單元 Unit	限用物質及其化學符號 Restricted substances and its chemical symbols
	鉛 Lead (Pb) 汞 Mercury (Hg) 鎘 Cadmium (Cd) 六價鉻 Hexavalent chromium (Cr⁺⁶) 多溴聯苯 Polybrominated biphenyls (PBB) 多溴二苯醚 Polybrominated diphenyl ethers (PBDE)
印刷電路板組件 PCBA	— O O O O O
變壓器 transformer	O O O O O O
散熱模組 Thermal Module	O O O O O O
鐳錫 Solder	O O O O O O
直流風扇 DC-FAN	O O O O O O
金屬外殼 Metal Shell	O O O O O O

備考 1. “超出 0.1 wt %” 及 “超出 0.01 wt %” 係指限用物質之百分比含量超出百分比含量基準。

Note 1 : “Exceeding 0.1 wt %” and “exceeding 0.01 wt %” indicate that the percentage content of the restricted substance exceeds the reference percentage value of presence condition.

備考 2. “○” 係指該項限用物質之百分比含量未超出百分比含量基準值。

Note 2 : “○” indicates that the percentage content of the restricted substance does not exceed the percentage of reference value of presence.

備考 3. “—” 係指該項限用物質為排除項目。

Note 3 : The “—” indicates that the restricted substance corresponds to the exemption.

限用物質含有情況標示

Presence Condition of the Restricted Substances Marking

設備名稱：交換式電源供應器，型號（型式）：UP5502R						
Equipment name		Type designation (Type)				
單元 Unit	限用物質及其化學符號 Restricted substances and its chemical symbols					
	鉛 Lead (Pb)	汞 Mercury (Hg)	鎘 Cadmium (Cd)	六價鉻 Hexavalent chromium (Cr ⁶⁺)	多溴聯苯 Polybrominated biphenyls (PBB)	多溴二苯醚 Polybrominated diphenyl ethers (PBDE)
印刷電路板組件 PCBA	—	O	O	O	O	O
變壓器 transformer	O	O	O	O	O	O
散熱模組 Thermal Module	O	O	O	O	O	O
錒錫 Solder	O	O	O	O	O	O
直流風扇 DC-FAN	O	O	O	O	O	O
金屬外殼 Metal Shell	O	O	O	O	O	O
備考 1. “超出 0.1 wt %” 及 “超出 0.01 wt %” 係指限用物質之百分比含量超出百分比含量基準。 Note 1 : “Exceeding 0.1 wt %” and “exceeding 0.01 wt %” indicate that the percentage content of the restricted substance exceeds the reference percentage value of presence condition.						
備考 2. “○” 係指該項限用物質之百分比含量未超出百分比含量基準值。 Note 2 : “○” indicates that the percentage content of the restricted substance does not exceed the percentage of reference value of presence.						
備考 3. “—” 係指該項限用物質為排除項目。 Note 3 : The “—” indicates that the restricted substance corresponds to the exemption.						

限用物質含有情況標示

Presence Condition of the Restricted Substances Marking

設備名稱：開放式電源供應器，型號（型式）：UP2K01R-3	
Equipment name	Type designation (Type)
單元 Unit	限用物質及其化學符號 Restricted substances and its chemical symbols
	鉛 Lead (Pb) 汞 Mercury (Hg) 鎘 Cadmium (Cd) 六價鉻 Hexavalent chromium (Cr ⁺⁶) 多溴聯苯 Polybrominated biphenyls (PBB) 多溴二苯醚 Polybrominated diphenyl ethers (PBDE)
印刷電路板組件 PCBA	— O O O O O
變壓器 transformer	O O O O O O
散熱模組 Thermal Module	O O O O O O
鐳錫 Solder	O O O O O O
直流風扇 DC-FAN	O O O O O O
金屬外殼 Metal Shell	O O O O O O
備考 1. “超出 0.1 wt %” 及 “超出 0.01 wt %” 係指限用物質之百分比含量超出百分比含量基準。 Note 1 : “Exceeding 0.1 wt %” and “exceeding 0.01 wt %” indicate that the percentage content of the restricted substance exceeds the reference percentage value of presence condition.	
備考 2. “○” 係指該項限用物質之百分比含量未超出百分比含量基準值。 Note 2 : “○” indicates that the percentage content of the restricted substance does not exceed the percentage of reference value of presence.	
備考 3. “—” 係指該項限用物質為排除項目。 Note 3 : The “—” indicates that the restricted substance corresponds to the exemption.	

限用物質含有情況標示

Presence Condition of the Restricted Substances Marking

設備名稱：開放式電源供應器，型號（型式）：DA-PWR-150-HV	
Equipment name	Type designation (Type)
單元 Unit	限用物質及其化學符號 Restricted substances and its chemical symbols
	鉛 Lead (Pb) 汞 Mercury (Hg) 鎘 Cadmium (Cd) 六價鉻 Hexavalent chromium (Cr⁺⁶) 多溴聯苯 Polybrominated biphenyls (PBB) 多溴二苯醚 Polybrominated diphenyl ethers (PBDE)
印刷電路板組件 PCBA	— O O O O O
變壓器 transformer	O O O O O O
散熱模組 Thermal Module	O O O O O O
錫鉛 Solder	O O O O O O
直流風扇 DC-FAN	O O O O O O
金屬外殼 Metal Shell	O O O O O O
備考 1. “超出 0.1 wt %” 及 “超出 0.01 wt %” 係指限用物質之百分比含量超出百分比含量基準。 Note 1: “Exceeding 0.1 wt %” and “exceeding 0.01 wt %” indicate that the percentage content of the restricted substance exceeds the reference percentage value of presence condition. 備考 2. “○” 係指該項限用物質之百分比含量未超出百分比含量基準值。 Note 2: “○” indicates that the percentage content of the restricted substance does not exceed the percentage of reference value of presence. 備考 3. “—” 係指該項限用物質為排除項目。 Note 3: The “—” indicates that the restricted substance corresponds to the exemption.	

限用物質含有情況標示

Presence Condition of the Restricted Substances Marking

設備名稱：開放式電源供應器，型號（型式）：UP2001M-12						
Equipment name		Type designation (Type)				
單元 Unit	限用物質及其化學符號 Restricted substances and its chemical symbols					
	鉛 Lead (Pb)	汞 Mercury (Hg)	鎘 Cadmium (Cd)	六價鉻 Hexavalent chromium (Cr ⁺⁶)	多溴聯苯 Polybrominated biphenyls (PBB)	多溴二苯醚 Polybrominated diphenyl ethers (PBDE)
印刷電路板組件 PCBA	—	○	○	○	○	○
變壓器 transformer	○	○	○	○	○	○
散熱模組 Thermal Module	○	○	○	○	○	○
錒錫 Solder	○	○	○	○	○	○
備考 1. “超出 0.1 wt %” 及 “超出 0.01 wt %” 係指限用物質之百分比含量超出百分比含量基準。						
Note 1：“Exceeding 0.1 wt %” and “exceeding 0.01 wt %” indicate that the percentage content of the restricted substance exceeds the reference percentage value of presence condition.						
備考 2. “○” 係指該項限用物質之百分比含量未超出百分比含量基準值。						
Note 2：“○” indicates that the percentage content of the restricted substance does not exceed the percentage of reference value of presence.						
備考 3. “—” 係指該項限用物質為排除項目。						
Note 3：The “—” indicates that the restricted substance corresponds to the exemption.						

限用物質含有情況標示

Presence Condition of the Restricted Substances Marking

設備名稱：電池充電器，型號（型式）：UP0172A-01P	
Equipment name	Type designation (Type)
單元 Unit	限用物質及其化學符號 Restricted substances and its chemical symbols
	鉛 Lead (Pb) 汞 Mercury (Hg) 鎘 Cadmium (Cd) 六價鉻 Hexavalent chromium (Cr⁶⁺) 多溴聯苯 Polybrominated biphenyls (PBB) 多溴二苯醚 Polybrominated diphenyl ethers (PBDE)
印刷電路板組件 PCBA	— O O O O O
金屬外殼組件 Metal Shell	O O O O O O
塑膠安裝組件 Plastic Components	O O O O O O
電源線組 Power Cord Sets	— O O O O O
包裝組件 Packaging Components	O O O O O O
黃銅組件 Brass Components	— O O O O O

備考 1. “超出 0.1 wt %” 及 “超出 0.01 wt %” 係指限用物質之百分比含量超出百分比含量基準。

Note 1 : “Exceeding 0.1 wt %” and “exceeding 0.01 wt %” indicate that the percentage content of the restricted substance exceeds the reference percentage value of presence condition.

備考 2. “○” 係指該項限用物質之百分比含量未超出百分比含量基準值。

Note 2 : “○” indicates that the percentage content of the restricted substance does not exceed the percentage of reference value of presence.

備考 3. “—” 係指該項限用物質為排除項目。

Note 3 : The “—” indicates that the restricted substance corresponds to the exemption.